AUTHOR INDEX

| Author | SUBJECT PAGE |
|---|--|
| Agarwal, V. D. | See Gupta, R. C. |
| Agrawal, V. D. and Gupta, R. C. | Nuclear magnetic relaxations and molecular reorientation fre- |
| | quencies of α hydroquinone and hydroquinone 241 |
| Bagehi, R. N. | See Pal, A. K. |
| 27 | See Ghosh, U.S. |
| Banerji, S. | See Neogy, D. |
| Banerjee, S. B. and Mukherjee, D. K. | Study of hydrogen bonding in 2, 4-and 3, 5-xylenol (L) 230 |
| Banerjee, S. B. | See Mukherjee, D. K. |
| Banerjee, Sunil Kumar | See Ghosh, S. K. |
| Banerjee, S. N. | See Jha, R. |
| Banerjee, S. N. and Sil, N. C. | Effect of higher order partial wave phase shifts in elastic electron scattering by helium |
| | atom 358 |
| Banerjee, S. N. | Excitation of 1'S state to 2'S state of helium atom by electron impact in Ockkur approximation 266 |
| Banerjee, S. N., Jha, R. and Sil, N. C. | Elastic resonance in electron hydrogen scattering 482 |
| Barua, A. K. | See Deb, S. K. |
| 232 | See Singh, Yashwant |
| ,, | See Ghosh, A. K. |
| " | See Pal, Arun K. |
| Basu, R. N. and Dutta, S. N. | On the performance calculations of three phase transmission |
| | lines by relaxation method 382 |
| Basu, S. P. and Sinha, D. B. | On heat transfer in nucleate boiling-(2) 516 |
| Bapat, R. N. | The near ultraviolet absorption spectrum of cyclohexyl benzene 587 |
| Bhadra, T. C. | On the acoustic of shocks generated by the rupture of dia- |
| | phragms in a tube 486 |
| Bhattacharya, D. M. | See Chatterjee, G. |

| Author | SUBJECT PAGE |
|--|--|
| Bhattacharya, H. | Isospheric absorption in the VLF band 701 |
| Bhattacharyya, J. | See Kastha, G. S. |
| Bhattacharyya, S. C., Mazumdar, S. K. | The crystal structure of sercosine |
| and Saha, N. N. | hydrochloride 850 |
| Bhattacharyya, S. N. | Structural effects in non-electrolyte solutions 579 |
| Bhattacharya, Tapan | A simple analysis of the non- uniform field effects on the Gunn devices 498 |
| Bhutra, M. P. | See Tandon, S. P. |
| Bishui, P. K., Mukherjee, D. K. and Sirkar, S. C. | Raman spectra of CH ₂ Cl ₂ , CHCl ₃ and CCl ₄ at 64°K 553 |
| Biswas B. N. | An improvement in the technique of time measurement (L) 545 |
| ,, ,, Bose, R. K. | Interrupted wave-synchronisation 209 Note on torsional vibrations of |
| as for a substant mixture with the | non-homogeneous spherical and cylindrical shells 533 |
| Bose, D. N. | Field effect measurements on GaAs 695 |
| Bose, R. K. | Note on forced vibration of a thin non-homogeneous circular plate with a central hole 886 |
| Chakravarty, A. S. | On the electric-quadrupole tran- sitions of the octahedral com- lexes of the transition metal |
| | ions 602 |
| Chakraborty, D. K. | See Chatterjee, S. |
| Chakraborty, J. N. | Light scattering behaviour of acacia catechuic acid in course of its neutralisation with sodium |
| | hydroxide (L) 463 |
| Chakrabarti, N. B. and Datta, A. K. | Diversity combining using carrier lock and sideband lock tech- |
| | niques (Part II) 87 |
| Chakravorty, S. C. | See Chatterjee, S. |
| Chatterjee, A. | See Kundu, M. L. See Ghosh, D. K. |
| Chatterjee, G., Bhattacharya, D. M. | Matrix elements incorporating |
| and Sil, N. C. | momentum transfer (L) 934 |

| Author | SUBJECT | PAGE |
|--|--|------|
| Chatterjee, Gurudas, and Sil, N. C. | Differential capture probability of | |
| | electron in proton-hydrogen | |
| | collision at low energies | 246 |
| Chatterjee, S. and Chakravorty, S. C. | An x-ray study of the condensa- | |
| | tion product of diamino succnic | |
| | acid and pvrutic acid $C_{10}H_{12}N_2O_8$ | |
| | (I.) | 627 |
| Chatterjee, S. and Chakraborty, D. K. | Band energy of Gold | 134 |
| Chatterjee, S. D. | See Sastri, R. C. | |
| self election and the self- | See Ganguly, S. R. | |
| Chattopadhyay, S. | On the assignments of the vibra- | |
| | tional frequencies of some | |
| | benzyl compounds | 759 |
| Chanker N.S. | See Mande, Chintamani | |
| Choonkar, N. S. | On the absorption spectra of Ni ⁺⁺ ion in aqueous solution | 21 |
| Chorghade, S. L. | Crystallographic studies on | 21 |
| chorghade, b. 12. | hydrazobenzene C ₈ H ₅ NH.NH.C ₆ H ₅ | 336 |
| Das, (Miss). D. | Magnetic studies on α-silicon car- | 000 |
| The state of the same and a | bide (SiC) crystal | 525 |
| Das, J. N. | Electron impact on hydrogenic | |
| | bound electron | 332 |
| Das, N. C. | Note on electrical response in a | |
| | piezo-electric plate transducer | 14 |
| | with a prescribed input | 611 |
| Das Gupta, A. | Thermal conductivity of sul- | |
| | phurdioxide and diethyl | |
| | ether at different temperatures | 419 |
| Datta, A. K. | See Chakrabarti, N. B. | |
| Datt, S. C., Verma, J. K. D. and | On the growth of single crystals | |
| Nag, B. D. | of naphthalene | 139 |
| Datta, Sunil K. | See Mazumdar, Manju | |
| De, M. | On the thermal expansion of | |
| | γ-phase Cu-Mn alloys at high | |
| | temperatures | 79 |
| Deb, S. K. | Thermal diffusion in monatomic | |
| District Control of the Control of t | polytomic gas mixtures | 718 |
| Deb, S. K. and Barua, A. K. | Thermal diffusion and intermole- | |
| THE PERSON NAMED IN COLUMN TO SHAPE TO | cular forces in binary inert gas | |
| | mixture | 646 |

| AUTHOR | Subject | PAGE |
|--|--|------|
| Deka, G. C. | A note on "hammer" tracks having no associated beta-par- ticle (L) | 615 |
| Dube, S. N. | On the temperature distribution of a viscous in-compresible fluid in a circular pipe under uns- | |
| | teady rate of heat addition | 433 |
| Dutta, A. K. | Nuclear radius, proten content, electron scattering, charge den- sity, magic number and born- | |
| Dutta, B. (nee Sinha) | approximation modification See Kastha, G. S. | 538 |
| Dutta, M. | Symmetries of higher order and their invariance | 347 |
| Dutta, S. N. | See Basu, R. N. | |
| " | D. C. three wire electrical power transmission network as solved by relaxation method | 352 |
| Dutta Gupta, R. R. | Pulse, width, frequency and height control in a transistor blocking oscillator | |
| Dutta Roy, S. K., Ghosh, B. and Sahoo, B. | Magnetic susceptibility of sime U^{+4} compounds at low temperature | |
| Ganguly, S. R., Mondal, S. K., and Chatterjee, S. D. | Cosmic ray stars in photographic emulsion at high altitude | 471 |
| Ganguly, Suman and Samanta, Sishutosh | Studies on the fading of the radio waves returned from the spora- | |
| Ganguly, Chhaya and Sil, N. C. | dic E-region of the ionosphere S-wave neutron strength function, potential scattering radius and | 908 |
| | the optical model | 816 |
| Ghosh, A. K. | The lifetime of metastably bound polar molecules | 663 |
| Ghosh, Samir and Sengupta, Sima | Cosmic ray fluxes at different zenith angles (L) | 788 |
| Ghosh, S. K. Ghosh, A. K. and Barua, A. K. | See Dutta Roy, S. K. Stretching and the difference in the intermolecular potentials of | |
| Of the Control of the | $\mathbf{H_2}$ and $\mathbf{D_2}$ from low temperature data | 341 |
| Ghosh, D. K., Chatterjee, A. and | Microwave spectra of ethyla- | |

| AUTHOR | SUBJECT | PAGE |
|---|---|------------|
| Saha, A. K. | mine molecule (L) | 467 |
| Ghosh, U. S., Bagchi, R. N., Pal, A. K. and Mistra, S. N. | of the magnetic behaviours of | 906 |
| Ghosh, N. N. | Cu(NH ₄ SeO ₄) .6H ₂ O A note on induced 4-dimensional | 286 |
| | Lorentz transformation | 570 |
| Ghosh, S. K., and Banerjee, Sunil Kumar. | Study of the transverse vibration of the elastic-plastic string under different plasticity | |
| Ghumman, B. S., and Sood, B. S. | conditions Inelastic interactions of gamma rays with K-shell electrons | 677 737 |
| Gupta, M. P. and Roy, P. K. | The crystal structure of potassium hydrogen fumarate, KC ₄ H ₃ O ₄ (L) | 787 |
| Guha, S. S., Mazumdar, S. K. and Saha, N. N. | The crystal and molecular structure of L-ornithine- | |
| | hydrochloride (L) | 624 |
| Guha Thakurta, S. R. | Termoelectric power of tungs- | |
| | tanite (WS ₂) single crystal (L) | 940 |
| n ilitaria n electrica de la constanta | Electrical properties of single crystal tungstenite (WS ₂) | 99 |
| | Certain thermistor characteristic of single crystals of tungatenite | Tara |
| A secretario subatoro son | (WS_1) (L) | 618 |
| Gohel, V. B. | See Patel, M. M. | 200 |
| Gujrathi, S. C. and Mukherjee, S. K. | Decay of Tm ¹⁷⁶ and levels of Yb ¹⁷⁶ | 633 |
| Gupta, R. C. and Agrawa, V. D. | Decay of Tm ¹⁷⁴ Study of intra-molecular motion of hydroxyl group by proton | 667 |
| | resonance method | 559 |
| Gupta, R. C. | See Agrawal, V. D. | |
| Gupta, S. B. and Sil, N. C. | Elastic scattering of electrons by hydrogen atom | 163 |
| Gupta, S. L. and Saha, N. K. | Gamma-gamma directional correlations in Pr ¹⁴⁴ | 48 |
| Gupta, R. N. and Mondal, S. K. | Radio-frequency conductivity of ionized gases in magnetic | |
| Hiranandani, M. R. | field See Rangarajan, R., See Rangarajan, R. | 153 |
| Iyengar, K. N. | See Rangarajau, R. | |
| Jha, R., Banerjee, S. N. and Sil, N. C. | Elastic scattering of electrons by helium atom | 891 |

| AUTHOR | SUBJECT | PAGE |
|--|---|------|
| Jha, R. | See Banerjee, S. N. | |
| Jha, R. | Elastron scattering by atomic hydrogen in Ochkur approximation | 373 |
| Jha, R. and Sil, N. C. | Elastic scattering of electrons by atomic hydrogen | 875 |
| Joshi, M. M. and Yamdagni, R. | Flame emmission spectrum of SnO molecule in the visible region | 275 |
| Joshi, R. V. and Menon, A. K. | Luminescent decay of variously pretreated KCL: TI phosphors | 115 |
| Kar, A. K. | See Pahari, S. See Sannigrahik, A. B. | |
| Kastha, G. S., Bhattacharyya, J. and Roy, S. B. | Eyring's equation of relaxattion time and dielectric absorption of 3.14 cm microwaves in polar liquids. Part III. Substituted toleunes and α -bromonaph- | |
| Khastha, G. S. | thalene See Sinha, (Miss) B. | 313 |
| Kachhva, C. M. and Saxena, S. C. | Classical theories of dielectric constants | 440 |
| Khastha, G. S., Dutta, B. (nee Sinha), | Dielectric absorption of and | |
| and Roy, S. B. | internal rotation in anisoles and substituted anisoles in solutions in non polar solvents | 725 |
| Khan, R. M. | Cherenkov radiation in a semi infinite dielectric medium with a conducting boundary | 270 |
| The state of the s | Cherenkov radiation by line charge (L) | 226 |
| Khau, M. Y. | Renninger effect in quinaldic acid (L) | 549 |
| Khan, R. M. | Cherenkov radiation in a medium of variable dielectric constant | 171 |
| Khan, T. P. | On the classical radiation by an electron in uniform circular motion in the form of multipoles (L) | 305 |
| Khan, R. M. | Cherenkov radiation in dielectric medium with conductivity | 260 |

| AUTHOR | SUBJECT | PAGE |
|---|---|------|
| Khawas, B. | X-ray study of the monoclinic modification of para aceto- | |
| | toluidide crystals (L) | 777 |
| Krishna Murty V. G. | See Krishna Rao, K. V. | |
| Krishna Rao, K. V. and Krishna | Temperature variation of the | |
| Murty, V. G. | photoelastic constants of ammonium chloride- (L) | 150 |
| Krishnaswamy, (Mrs.) M. | See Ratho, T. | |
| Kumar, P. | See Neogy, D. | |
| Kumar, S. | See Srivastava, S. P. | |
| Kundu, M. L. and Chakravorty, S. C. | Space group of O-benzoyl benzoic acid (L) | |
| Kundu, S. K. | Amplitude perity and X°-meson | 882 |
| Lal, A. | An isotope effect in the collection of recoiled products of C_2H_5Br , | |
| and the second second | and $\mathrm{CH_2Br_2}$ | 39 |
| Madan, M. P. | See Srivastava, S. P. | |
| Mahalanobis, A. | See Neogi, D. | |
| Mangal, P. C. and Trehan, P. N. | A note on 222 Kev gamma-ray transition in the decay of | |
| W 3-1 C 77 | Ba ¹³³ (L) | 938 |
| Mandal, S. K. | See Gupta, R. N. | |
| Mande, Chintamani, Nagavekar, A. S. A. S. and Chivate, (Miss) Pushpa | Effect of chemical combination on the symmetry of the K_a lines of cobalt | 897 |
| Majumdar, S. K. | See Roy, P. N. | 991 |
| majumuat, S. IX. | See Bhattacharyya, S. C. | |
| Mazumdar, Manju, and Dutta, Sunil K. | | |
| readilition, situating, that 25 about, Statistics. | ligand field behaviour of pure and diluted crystal of FeSiF _s . | |
| | 6H ₂ O | 590 |
| Mazumdar, Saroj K. | A note on the dispersion relation | 500 |
| plant the party of | for very high temperature plasma | 507 |
| Mazumdar, S. K. | See Guha, S. S. | |
| Menon, A. K. | See Joshi, R. V. | |
| Misra, S. C. | A theory of classical liquids (L) | 864 |
| Mitra, B. | The (n, 2n) reaction cross section of p ³¹ , Zn ⁶⁴ , Ga ⁶⁹ and Ag ¹⁰⁷ for | |
| | 14.6 Mev neutrons | 752 |
| Mitra, S. C. and Okonji, B. U. | Pressure dependence of the electrical conductance of pressed classiferite powders | 919 |

| Author | SUBJECT P | AGE |
|--|---|-----|
| Mitra, S. C. | Electrical conductivity of natu- | |
| | ral stannic oxide | 448 |
| Mitra, S. N. | See Ghosh, U. S. | |
| Mohanty, B. K. | Second hermonic generation | |
| | in two level systems | 655 |
| " | Generation of nonlinear dipole | 00 |
| Total Control | moment in a two level system | 60 |
| Mondal, S. K. | See Ganguly, S. R. The magnetic properties of | |
| Mukherjee, A. K. | specular hematite (L) | 781 |
| ,, | Magnetic properties of netural | |
| | crystal of hamatite (L) | 465 |
| Mukherjee, D. K. and Banerjee, S. B. | Infrared study of effect of environ | |
| | ments on hydrogen bonding in | |
| | catechol, resorcinol, and | 700 |
| Mulharias D V | quinol See Banerjee, S. B. | 108 |
| Mukherjee, D. K. | See Bishui, P. K. | |
| "" "" "" "" "" "" "" "" "" "" "" "" "" | | |
| Mukherjee, (nee Dasgupta) Indrani | Space group and unit cell dimen sions of copper monochloroace | |
| | tatate, 2.5 hydrate (L) | 776 |
| Multhoning C V | See Gujrathi, S. C. | |
| Mukherjee, S. K. | A note on the relaxation times of | |
| " | the proton in cane sugar solu- | |
| | tion and glycerine with added | |
| | paramagnetic Cu++ ions | 16 |
| Nag, B. D. | See Datt, S. C. | |
| Nain, V. P. S. | See Saksena, M. P. | |
| Nain, V. P. S. and Saxena, S. C. | Second virial coefficient of non- | |
| | polar gases and gas mixture | |
| | and Buckingham-Carra-kono- | |
| | walow potential | 199 |
| Narasimhan, K. S. V. L. and | Electrical and thermal properties | |
| Sinha, K. P. | of PbTe dopped with magnetic | |
| | impurities | 803 |
| Neogy, D., Banerji, S., Kumar, P. and | A convenient and sensitive | |
| Mahalanobis, A. | balance for measuring magnetic | |
| | anisotropies of single crystals. | 744 |
| Nigavekar, A. S. | Mande, Chintamani | |
| Okonii R II | See Mitra S C | |

| Author | SUBJECT | PAGE |
|--|---|------|
| Pahari, S. and Kar, A. K. | Semiemperical one centre and two centre electron repulsion integrals | 704 |
| Pahari, S. | See Sannigrahik, A. B. | |
| Pal, Arun K. and Barua, A. K. | Effect of cluster formation on | |
| | the viscosity of dense gases | 323 |
| " | Viscosity of polar nonpolar gas mixture | 713 |
| Pal, Arun K. | Intermolecular forces and vis- cosity of some polar organic vapours | 823 |
| Pal, A. K. | See Ghosh, U.S. | |
| Pal, A. K., Bagchi, R. N., Saha, P. R. and Saha, R. K. | E.P.R. investigation on or thorhombic g tensors in copper rubidium sulphate hexahydrate, copper cesium sulphate hexa | |
| | hydrate and copper thallium | |
| | sulphate hexahydrate | 856 |
| Palit, S. R. | Possibility of a real deviation from Faraday's law of electrolysis | 200 |
| | (L) | 309 |
| | Electrode glow during electrolysis (L) | 622 |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | A simple experimental demons tration of the breakdown of Faraday's law of elec | |
| | trolysis (L) | 782 |
| ,, | Electrode glow during electrolysis and liberation of hydrogen and oxygen together on the electrodes (L) | 860 |
| ** | See Sarkar, D. K. | |
| Panda, B. C. | See Ratho, T. | |
| Patel, M. M. and Patel, S. P. | The emission spectrum of the CdBr molecule (The visible system) | 155 |
| Patel, M. M., Gohel, V. B., | Modified Varshni Shukla poten | |
| Trivedi, M. D. | tial function for diatomic alkali | |
| The state of the s | halide molecules | 235 |
| Patel, S. P. | See Patel, M. M. | |

| Author | SUBJECT PAGE |
|---|--|
| Paul, (nee Das), D. | Temperature variation of mag |
| | netic susceptibility of molyb |
| | denite single crystal (L) 943 |
| Rajput, M. S. and Sehgal, M. L. | Radioactive decay of Nd ¹⁴⁷ 176 |
| Raju, B. B. Venkata Pathi | See Rama Mohan, R. V. |
| Rama Mohan, R. V., Reddy, K. | γ-γ—directional correlation studies |
| Venkata, Raju, B. B. Venkata Pathi, and Swami Janananda | and level scheme of Ba-134 30 |
| Ramamohan, R. V. | Excitation spectra of even- |
| | even nuclei of non-deformed |
| | region (L) 779 |
| Ranjarajan, R., Iyengar, K. N. and | Mass distribution studies in |
| Hiranandani, M. R. | nuclear fissions using lexen detector 902 |
| Rao, M. Raja and Swami Janananda | The messurement of the Icc of the |
| | 192 kev transition in In-114m 55 |
| Rao, K. Suryanarayana | See Shashidhar, M. A. |
| Rao, Monoranjan | Attenuation characteristic of |
| | VLF waves from the waveform |
| | of atmospherics 844 |
| Ratho T. and Krishnaswamy (Mrs), M. | On the structure of complex sil- |
| | ver lutidine per chlorate 327 |
| " " | On the structure of complex silver quinoline perchlorate 511 |
| The second of the second | Space group and unit cell dimen |
| " " " | sions of complex lutidine nitrate |
| | (L) 871 |
| 27 27 27 27 | On the determination of unit cell |
| | dimensions from powder diffrac- |
| | tion data of complex silver luti- |
| | dine nitrate 864 |
| Ratho, T. and Panda, B. C. | Low-angle x-ray measurements on |
| | air-dried and alkali-treated mac- |
| | romolecular systems-wool (L) 932 |
| Redey, K. Venkata | See Rama Mohan, R. V. |
| Roy, P. K. | See Gupta, M. P. |
| Roy, P. N., Majumdar, S. K. and | The crystal structure of glycocya- |
| Saha, N. N. | mine hydrobromide 771 |
| Roy, S. B. | See Sinha, (Miss) B. |
| ,, ,, | See Kastha, G. S. |
| Saha, A. K. | See Ghosh, D. K. |
| Saha, N. K. | See Gupta, S. L. |

| AUTAOR | Subject | PAGE |
|---|---|------|
| Saha, N. N. | See Roy, P. N. | |
| 22 22 | See Bhattacharyya, S. C. | |
| ** | See Guha, S. S. | |
| Saha, Pada Renu | An anomalous magnetic behaviour of KCr ₃ (C ₂ O ₄) ₃ . 3H ₂ O studies between room temtemperature and liquid oxygen temperature (L) | 628 |
| Saha, P. R. | See Pal, A. K. | |
| Sahoo, B. | See Dutta Roy, S. K. | |
| Saksena, M. P., Nain, V. P. S. and | Second virial and zero-pressure | |
| Saxena, S. C. | Joule-Thomson coefficients of polar and nonpolar gases and | |
| ~ | gas mixtures | 123 |
| Samanta, Sishutosh | See Ganguly, Suman | |
| Sannigrahik, A. B., Kar, A. K. and | H.M.O. calculations on tetraben- | 700 |
| Pahari, S. | zonaphthalene (L) | 708 |
| Saran, Anil Sarkar, D. K. and Palit, S. R. | See Singh, Yashwant Test of viscosity theores of Flory, | |
| Sorkar, D. K. and Patty, S. Iv. | Kurata, Ptitsyn and Palit for dilute polymer solutions | 389 |
| Sastri, R. C. and Chatterjee, S. D. | Investigation of thermionic emission at low intensity with a Geiger counter | |
| Sastri, R. C. and Chatterjee, S. D. | On the emission of exo electrons in a Geiger counter (L) | 617 |
| ,, ,, ,, | Image inversion of Geiger pulse(L) | 147 |
| Saxona, S. C. | See Kachhva, C. M. | |
| " | See Nain, V.P.S. | |
| Sobrel M T | See Saksena, M.P. | |
| Sehgal, M. L. Seike, Shinichi | See Rajput, M. S. Tri-harmonic stress function | 121 |
| | | 121 |
| Sen Gupta, N. D. | On a representation of the dirac matrices | 378 |
| 23 33 | On the frequency shift in Thomson scattering (L) | 631 |
| Shaha, R. K. | See Pal, A. K. | |
| Sengupta, Sima | See Ghosh, Samir | |
| Shashidhar, M. A. and Rao, | Electronic absorption spectra | |
| K. Suryanarayana | of 2-, 4-6-and 7-methyl quino- line vapours | 299 |

| Author | Subject | PAGE |
|--|---|------|
| Sil, N. C. | See Jha, R. | |
| 22 22 | See Chatterjee, G. | |
| ,, ,, | See Ganguly, Chhaya | |
| | See Chatterjee, Gurudas | |
| 22 22 22 22 | See Gupta, S. B. | |
| " " | See Banerjee, S. N. | |
| Singh, Yashwant and Barua, A. K. | Effects of anharmonicity on the intermolecular potentials derived from crystal properties | |
| Singh, Yashwant, Saran, Anil and Barua, A. K. | On the representation of three body nonadditive interactions in solids | |
| 27 27 | Contribution of bound double molecules to the second virial coefficient | |
| Singh, Kartar and Singh, Santokh | N ¹⁴ quadrupole resonance in ben- | |
| | zene sulphonamide (L) | 862 |
| Singh, Sanktokh | See Singh, Kartar | |
| Sinha, K. P. | See Narasimhan, K.S.V.L. | |
| Sinha, (Miss) B., Roy, S. B. and | On the relation between the ener- | |
| Kastha, G. S. | gy of activation for dielectric relaxation and the interaction energy of polar organic mole cules in dilute solutions in non | |
| | polar solvants | 183 |
| Sinha, D. K. | A note on longitudinal disturban ces in a semi infinite piezeelec- tric rod in a magnetic field (L) | 784 |
| ,, ,, | A note on mechanical response in a piezoelectric ceramic trans- ducer under the influence of a body-force | |
| Sinha, D. B. | See Basu, S. P. | |
| Sinha, S. K. | Accounstic free induction in a quadrupolar spin system in a cubic crystal | |
| Sirkar, S. C. | See Bishui, P.K. | |
| Sood, B. S. | See Ghumman, B.S. | |
| Srivastava, S. P., Kumar, S. and | Infrared absorption frequency | |
| Madan, M. P. | of ionic crystal | 833 |
| " " | Debye Temperature of Ionic | 202 |

| Author | Subject | PAGE |
|----------------------------------|------------------------------------|------|
| Swami Jnanananda | See Rama Mohan, R.V. | |
| > > | See Rao, M. Raja | |
| Tandon, K. | See Tandon, S. P. | |
| Tandon, S. P., Bhutra, M. P. and | Electron affinity of halogen atoms | 70 |
| Tandon, K. | | |
| Trehan, P. N. | See Mangal, P.C. | |
| Trivedi, M. D. | See Patel, M.M. | |
| Verma, J. K. D. | See Datt, S.C. | |
| Yamdagni, R, | See Josh, M.M. | |

SUBJECT INDEX

| SUBJECT | AUTHOR | PAGE |
|--|--|------|
| Acoustic free induction in a quadrupo- lar spin system in a cubic crystal | S. K. Sinha | 453 |
| | S. K. Siilla | TUU |
| Acoustic of shocks generated by the rup- ture of diaphragms in a tube.—On the | T. C. Bhadra | 486 |
| Amplitude parity and X°-meson | S. K. Kundu | 882 |
| Anharmonicity on the intermolecular potentials derived from crystal pro- | | |
| perties.—Effects of | Yashwant Singh and A. K. Barua | 685 |
| Band energy of gold | S. Chatterjee and D. K. Chakraborty | 134 |
| Chemical combination on the asymmetry of the $K\alpha$ lines of cobalt.— Effect of | Chintamani Mande, A. S. Nigave kar and Miss Pushpa Chivate | 897 |
| Cherenkov radiation by line charge | R. M. Khan | 226 |
| Cherenkov radiation in dielectric medi- | | |
| um with conductivity | ,, ,, ,, | 260 |
| Cherenkov radiation in a medium of | | |
| variable dielectric constant | ", ", | 171 |
| Cherenkov radiation in a semi-infinite | | |
| dielectric medium with a conducting | | 270 |
| boundary | S. C. Misra | 864 |
| Classical liquid.—A theory of (L) Conductivity of ionized gases in magne- | S. O. Misia | 904 |
| tic field.—Radio-frequency | R. N. Gupta and S. K. Mandal | 153 |
| Cosmic ray fluxes at different zenith an- | 10. 14. Gupta and S. K. Mandar | 100 |
| gles | Samir Ghosh and Sima Sengupta | 788 |
| Cosmic ray stars in photographic emul- | one of the second secon | |
| sion at high altitude | S. R. Ganguly, S. K. Mondal and | |
| | S. D. Chatterjee | 471 |
| Crystals of naphthalene- On the growth | S. C. Datt, J. K. D. Verma and | |
| of single | Nag, B. D. | 139 |
| Crystallographic studies on hydrazo- | | |
| benze | S. L. Chorghade | 336 |
| Crystal and molecular structure of L- | | |
| ornithine-hydrochloride. The | S. S. Guha, S. K. Mazumdar and N. N. Saha | 624 |
| Crystal structure of clycocyamine | P. N. Roy, S. K. Mazumdar | |
| hydrobromide.—The | and N. N. Saha | 771 |

| Subject | Author Pa | GЕ |
|--|---|----------|
| Crystal structure of potassium hydrogen fumarate, $KC_4H_3O_4$.—The (L) | M. P. Gupta, and P. K. Roy | 87 |
| Crystal structure of sarcosine hydrochlo- ride.—The | S. C. Bhattacharyya, S. K. Mazumdar and N. N. Saha | 50 |
| Debye temperature of ionic crystal | S. P. Srivastava, S. Kumar and | 28 |
| Decay of T_m^{176} and levels of Yb ¹⁷⁶ | S. C. Gujrathi and S. K. | |
| Decay of T_m^{174} | | 33 67 |
| Dielectric constants.—Classical theories | <i>"</i> " | |
| of Dielectric absorption of and internal rotation in anisoles and substituted anisoles in solutions in non-polar | C. M. Kachhva and S. C. Saxena 4 | 40 |
| solvents | G. S. Kastha, B. Dutta (nee' Sinha) | |
| TIM | and S. B. Roy | 25 |
| Differential capture probability of elec- | | |
| tron in proton-hydrogen collision at low energies | Gurudas Chatterjee and N. C. Sil 24 | 16 |
| Dipole moment in a two level system. | Guiddas Onamei jee and N. O. Shi | EU |
| —Generation of non-linear | B. K. Mohanty | 30 |
| Directional correlation studies and level | R. V. Rama Mohan, K. Venkata | |
| scheme of Ba-134. | Reddy, B. B. Venkata Pathi Raju | |
| | | 30 |
| Dirac matrices.—On a representation of | | 70 |
| the Directional correlations in Pr ¹⁴⁴ . | N. D. Sen Gupta | 8 |
| —Gamma-gamma | S. L. Gupta and N. K. Saha | 18 |
| Dispersion relation for very high temperature plasma.—A note on the | Saroj K. Majumdar 50 | 7 |
| Diversity combining using carrier lock | Saroj II. II. III. III. II. II. II. II. II. | |
| and sideband lock techniques (Part II) | N. B. Chakrabarti and A. K. Datta 8 | 37 |
| Elastic scattering of electrons by hydro- | | |
| gen atoms | S. B. Gupta, N. C. Sil | 3 |
| Electrical and thermal properties of PbTe doped with magnetic impurities | K. S. V. L. Narasimhan and | |
| 1 bit dopod with magnotte imparities | K. P. Sinha | 3 |
| Electrical conductance of pressed classi- | | |
| terite powders.—Pressure dependence | | |
| of the | S. C. Mitra and B. U. Okonji 91 | 9 |
| Electrical conductivity of natural | | |
| stannic oxide | S. C. Mitra · · · 44 | 8 |

| Subject | Author | PAGE |
|--|---|------|
| Electric-quadrupole transitions of the octahedral complexes of the transition metal ions—On the | A. S. Chakravarty | 602 |
| Electrical power transmission network as solved by relaxation method.—D.C. three wire | S. N. Dutta | 352 |
| Electrical properties of single crystal of tungstenite (WS_2) | S. R. Guhathakurta | 99 |
| Electrical response in a piezo-electric plate transducer with a prescribed in- | | |
| put.—Note on | N. C. Das | 611 |
| Electrode glow during electrolysis (L) | Santi R. Palit | 622 |
| Electrode glow during electrolysis and liberation of hydrogen and oxygen together on the electrodes (L) | ·· · · · · | 860 |
| Electron affinity of halogen atoms | S. P. Tandon, M. P. Bhutra and K. Tandon | 70 |
| Electron hydrogen scattering.—Elastic resonance in | S. N. Banerjee, R. Jha and N. C. Sil | 482 |
| Electron impact on hydrogenic bound | 14. 0. 811 | 102 |
| electron | J. N. Das | 332 |
| Electron repulsion integrals.—Semiem- | | |
| perical one centre and two centre Electron scattering by helium atom.— | S. Pahari and A. K. Kar | 704 |
| Effect of higher order partial wave | | |
| phase shifts in . | S. N. Banerjee and N. C. Sil | 358 |
| Electron scatterin by atomic hydrogen | | |
| in Ochkur approximation | R. Jha | 373 |
| Emission spectroum of the CdBr mole- | | |
| cule ('I he visible system).—The | M. M. Patel and S. P. Patel | 155 |
| E.P.R. investigation on orthorhombic g-tensors in copper rubidium sulphate hexehydrate, copper cesium sulphate hexahydrate and copper thallium sul- | | |
| phate hexahydrate | A. K. Pal, R. N. Bagchi, P. R. | |
| | Saha and R. K. Saha | 856 |
| Excitation of 1'S state to 2'S state of helium atom by electron impact in | | |
| Ochkur approximation | S. N. Banerjee | 266 |

| SUBJECT | AUTHOR | PAGE |
|---|---|------|
| Exo electrons in a Geiger counter.—On | | |
| the emission of | R. C. Sastri and S. D. Chatterjee | 617 |
| Faraday's law of electrolysis, —A simple | | |
| experimental demonstration of the | | |
| breakdown of (L) | Santi R. Palit | 782 |
| Field effect measurements on GaAs | D. N. Bose | 695 |
| Faraday's law of electrolysis.—Possibi- | | |
| lity of a real deviation from (L) | S. R. Palit | 309 |
| Forced vibration of a thin non-homo- | | |
| geneous circular plage with a central | | |
| hole.—Note on | R. K. Bose | 686 |
| Field effects on the gunndevices.—A | | |
| simple analysis of the non-uniform | Tapan Bhattacharya | 498 |
| Gamma-ray transition in the decay of | | 000 |
| Ba ³⁸ —A note on 222 Kev (L) | P. C. Mangal and P. N. Trehan | 938 |
| Hammer tracks having no associated | | 015 |
| beta-partice.—A note on (L) | G. C. Deka | 615 |
| Heat transfer in nucleate boiling-(2).— On the | C D Decu and D D Cinha | 516 |
| H.M.O. calculations on tetrabenzonaph- | S. P. Basu and D. B. Sinha | 516 |
| thalene (L) | A. B. Sannigrahik, A. K. Kar and | |
| | S. Pahari | 708 |
| Hydrogen bonding in 2, 4 and 3, 5- | D. I. WILWIT | .00 |
| Xylenol—Study of | S. B. Banerjee and D. K. | |
| | Mukherjee | 230 |
| Image inversion of Geiger pulse (L) | R. C. Sastri and S. D. Chatterjee | 147 |
| Inelastic interactions of gamma rays | • | |
| with K-sheel eletrons | B. S. Ghumman and B. S. Sood | 737 |
| Icc of the 192 keV transitions in ln- | | |
| 114m—The measurement of the | M. Raja Rao and Swami | |
| | Jnanananda | 55 |
| Induced 4-dimensional Lorentz transfor- | | |
| mations—A note on | N. N. Ghosh | 570 |
| | 11. 11. MIONI | ,,,, |
| Infrared absorption frequency of ionic erystals | C D Crivestove C Vumer and | |
| er y stats | S. P. Srivastava, S. Kumar and M. P. Madan | 833 |
| T. C. T. L. T. C. C. L. C. L. | M. I. Madan | 000 |
| Infrared study of effect of environments | | |
| on hydrogen bonding in catechol, | D. W. Multhonics and S. B. | |
| resorcinal and quinol | D. K. Mukherjee and S. B. | 108 |
| | Banerjee | |
| Ionospheric absorption in the Vlf band | H. Bhattacharya | 701 |

| Subject | Author 1 | PAGE |
|--|--|-------------|
| Intermolecular potentials of H ₂ and D ₂ from low temperature data.—Strech- | | 0.17 |
| ing and the difference in the Intermolecular forces and viscosity of | A. K. Ghosh and A. K. Barua | 341 |
| some polar organic vapours | Arun K. Pal | 823 |
| Interrupted wave synchronisation | B. N. Biswas | 2 09 |
| Intra-molecular motion of hydroxyl group by proton resonance method.— | D. C. Charte and V. D. Agrawal | 559 |
| Study of Interactions in solids.—On the represen- | R. C. Gupta and V. D. Agrawal | มมฮ |
| tation of three-body nonadditive | Yashwant Singh, Anil Saran and A. K. Barua | 413 |
| Joule-Thomson coefficients of polar and | Wild 21, 22, 200, 000 | |
| nonpolar gases and gas mixture.— | | |
| Second virial and Zero-pressure | M. P. Saksena, V. P. S. Nain and S. C. Saxena | 123 |
| Lifetime of metastably bound polar molecules. The | A. K. Ghosh | 663 |
| Ligand field theory of the magnetic behaviours of Cu(NH ₄ SeO ₄) ₂ .6H ₂ O. | | |
| -Orthorhombic | U. S. Ghosh, R. N. Bagehi, A. K. Pal, and S. N. Mitra | 286 |
| Light scattering behaviour of acacia catechuic acid in course of its neutra- | | |
| lisation with sodium hydroxide (L) Longitudinal disturbances in a semi- infinite piezoelectric rod in a magnetic | J. N. Chakraborty | 463 |
| field.—A note on (L) | D. K. Sinha | 784 |
| Luminescent decay of variously pretrea- | | |
| ted KCl. TI phosphors | R. V. Joshi and A. K. Menon | 118 |
| Magnetic anisotropiec of single crystal. —A convenient and sensitive balance | | |
| for measuring | D. Neogy, S. Benerji, P. Kumar and A. K. Mahalanobis | 744 |
| Magnetic behaviour of $KCr_3(C_2O_4)_3$ $3H_2O$, studied between room temperature and liquid oxygen temperature. | | |
| —An anomalous (L) | Pada Renu Saha | 628 |
| Magnetic properties of netural crystals | | |
| of hematite (L) | A. K. Mukherjee | 468 |
| Magnetic properties of specular hema- | | |
| tite.—The (L) | A. K. Mukheriee | 781 |

| Subject | Author | PAGE |
|---|---|------|
| Magnetic studies on α -silicon carbide | | |
| (SiC) crystals Magnetic susceptibility of some U ⁴ | Miss D. Das | 525 |
| compounds at low temperatures | S. K. Dutta Roy, B. Ghosh and B. Sahoo | 362 |
| Magnetic susceptibility and ligand field behaviour of pure and diluted crystal | | |
| of $\mathrm{FeSiF_6.6H_2O}$ | Manju Majumdar and Sunil K. Datta | 590 |
| Magnetic susceptibility of molybdenite single crystal,—Temperature varia | | |
| tion of (L) Matrix elements incorporating momen- | D. Paul (nee Das) | 943 |
| tum transfer (L) | G. Chatterjee, D. M. | |
| Neutron strength function, potential | Bhattacharya, and N. C. Sil | 934 |
| scattering radius and the optica model.—S-wave | Chhaya Ganguly and N. C. Sil | 816 |
| Nuclear fission using Lexan detector. | | |
| -Mass distribution studies in | R. Rangarajan, K. N. Iyengar and M. R. Hiranandani | 902 |
| Nuclear magnetic relaxations and mole- cular reorientation frequencies of | | |
| $lpha$ -hydroquinone and γ -hydroquinone | V. D. Agrawal and R. C. Gupta | 241 |
| Nuclear radius, proton content, elec- tron scattering, charge density, magic numbers and born-approciamations | | |
| modifications | A. K. Dutta | 538 |
| Photoelastic constants of ammonium chloride.—Temperature variation of | | |
| the (L) | K. V. Krishna Rao and | |
| | V. G. Krishna Murty | 150 |
| Piezoelectric ceramic transducer under the influence of a body-force.—A note | D. K. G. 1 | 005 |
| on mechanical response in a | D. K. Sinha | 925 |
| N ¹⁴ quadrupole resonance in benzene sulphonamide (L) | Karter Singh and Santokh Singh | 862 |
| Radiation by an electron in uniform circular motion in the form of multi- | | |
| polesOn the classical (L) | T. P. Khan | 305 |
| Dedicactive decay of Nd147 | M S Rainut and M T. School | 176 |

| Subject | Author | PAGE |
|--|---|------------|
| Radio waves returned from the sporadic e-region of the inosphereStudies on | | |
| the fading of the | Suman Ganguly and Sishutosh Samanta | 908 |
| Reaction cross-section of P^{81} , Zn^{64} , Ga^{69} and Ag^{107} for 14.6 MeV neutrons. | | |
| -The (n, 2n) Recoiled products of C ₂ H ₅ Br, C ₂ H ₄ Br ₂ and CH ₂ Br ₂ .—An isotope effect in the | B. Mitra | 752 |
| collection of Relation between the energy of activa- tion for dielectric relaxation and the | A. Lal | 3 9 |
| interaction energy of polar organic molecules in dilute solution in non- | | |
| polar solvents.—On the | (Miss) B. Sinha, S. B. Roy and G. S. Kastha | 183 |
| Relaxation times of the proton in came sugar solution and glycerine with paramagnetic Cu ⁺⁺ ions.—A note on | | |
| the Relaxation time and dielectric absorption of 3.14 cm microwaves in polar liquids-part III. subscrituted toluenes and -bromonaphthalene.—Eyring's | S. K. Mukherjee | 16 |
| equation of | G. S. Kastha, J. Bhattacharyya and S. B. Roy | 313 |
| Renninger effect in quinaldic acid (L) Scattering of electrons by atomic hydro- | M. Y. Khan | 549 |
| gen.—Elastic Scattering of electrons by heliums | R. Jha and N. C. Sil | 875 |
| atoms.—Elastic | R. Jha., S. N. Banerjee and N. C. Sil | 891 |
| Second harmonic generation in two level systems | B. K. Mohanty | 655 |
| Second virial coefficient.—Contribution of bound double moelcule to the | Yashwant Singh, Anil Saran and A. K. Barua | 426 |
| Second virial coefficient of non-polar gases and gas mixtures and Bucking- | | |
| ham-Varre Knowalow potential Space group of O-benzoyl benzoic | V. P. S. Nain and S. C. Saxena | 199 |
| acid (L) | M. L. Kundu and S. C. Chakravorty | 547 |

| SUBJECT | AUTHOR | PAGE |
|--|--|------------|
| Space ground and unit cell dimensions | | |
| of copper monochloroacetate 2.5 | | |
| hydrate (L) | Indrani Mukherjee | |
| | (nee Dasgupta) | 776 |
| Space group and unit cell dimensions | description to the last | |
| of complex silver lutidine nitrate(L) | T. Ratho and Mrs. M. | |
| | Krishnaswamy | 864 |
| Spectra of ethylamine molecule. | Real of the standards | |
| -Microwave | D. K. Ghosh, A. Chatterjee and | |
| the second second | A. K. Saha | 467 |
| Spectra of even-even nuclei of non-de- | | |
| formed regionExcitation (L) | R. V. Ramamohan | 779 |
| Spectra of Ni ⁺⁺ ion in aqueous solution | | |
| —On the absorption | N. S. Chhonkar | 21 |
| Spectra of 24-6- and 7-methyl quino- | M. A. Shashidhar and K. | |
| line vapours—Electronic absorption | Suryanarayana Rao | 299 |
| Spectra of CH ₂ Cl ₂ , CHCl ₃ and CCl ₄ at | ARTHUR MERCHANIST DE | |
| 64°K.—Raman | P. K. Bishuni, D. K. Mukherjee | |
| | and S. C. Sirkar | 553 |
| Spectrum of cyclohexyl benzene.—The | | |
| near ultraviolet absorption | R. N. Rapat | 587 |
| Spectrum of SnO molecule in the visible | Contraction and I have be to be a | 1 - 2 - 12 |
| region.—Flame emission | M. M. Joshi and R. Yamdagni | 275 |
| Structural effects in non-electrolyte | | |
| solutions | S. N. Bhattacharyya | 579 |
| Structure of complex silver quinnoline | and the second second second | |
| perchlorate.—On the | T. Ratho and Mrs. M. | |
| No IV. Company | Krishnaswamy | 511 |
| Structure of complex silverlutidine per | | 10.797 |
| chlorate.—On the | T. Ratho and Mr. M. | |
| | Krishnaswamy | 327 |
| Symmetries of higher order and their | The state of the s | |
| inveriance | M. Dutta | 347 |
| Temperature distribution of a viscous | at milion & formation to the | 1 1 1 1 1 |
| in-compressible fluid in a circular | | |
| pipe under unsteady rate of heat | | |
| addition.—On the | S. N. Dube | 433 |
| Technique of time measurement.—An | | - 15 |
| improvement in the (L) | B. N. Biswas and G. Dutta | 545 |
| Thermal conductivity of sulphurdioxide | The state of the s | HATE . |
| and diethyl ether at different tempera- | To the state of the state of | |
| tures | A Das Gunta | 410 |
| | | |

| SUBJECT | AUTHOR | PAGE |
|---|--|------|
| Thermal diffusion and intermolecular | | |
| forces in binary inert gas mixtures Thermal diffusion in monatomic polya- | S. K. Deb and A. K. Barua | 646 |
| tomic gas mixtures | S. K. Deb | 719 |
| Thermal expension of γ-phase Cu-Mn | and the second of the second of the second | |
| alloys at high temperatures.—On the | M. De | 79 |
| Thermionic emission at low intensity | | |
| with a Geiger counter.—Investigation | | |
| of | R. C. Sastri and S. D. | |
| | Chatterjee | 793 |
| Thermistor characteristics of single crys- | | |
| tals of Tungtenite (WS ₂).—Certain(L) | S. R. Guha Thakurta | 618 |
| Thermoelectric power of tungstenite | | |
| (WS ₂) single crystal (L) | S. R. Guha Thakurta | 940 |
| Thomson scattering.—On the frequency | | |
| shift in (L) | N. D. Sen Gupta | 631 |
| Torsional vibrations of non-homoge- | and the plant to the property | 100 |
| neous spherical and cylindrical shells | R. K. Bose | 533 |
| Transistor blocking oscillator.—Pulse | | |
| width, frequency and height control | D. D. D. H. G. | 100 |
| in a | R. R. Dutta Gupta | 1 |
| Transmission lines by relaxation | | |
| method.—On the performance calculations of three phase | R. N. Basu and S. N. Dutta | 382 |
| lations of three phase Transverse vibration of the elastic- | IV. M. Dasu and B. N. Dutta | 902 |
| plastic string under different plas- | | |
| ticity conditions.—Study of the | S. K. Ghosh and Sunil Kumar | |
| orotty conditions.—Study of the | Banerjee | 677 |
| Tri-harmonic stress fundtion | Shinichi Seike | 121 |
| Unit cell dimensions from powder | | |
| diffraction data of complex silver luti- | | |
| dine nitrate.—On the determination of | T. Ratho and Mrs. M. | |
| | Krishnaswamy | 871 |
| Varshni-Shukla potential function for | | |
| diatomic alkali halide molecules. | | |
| Modified | M. M. Patel, V. B. Gohel and | |
| | M. D. Trivedi | 235 |
| Vibrational frequencies of some benzyl | | |
| compoundd.—On the assignments of | | |
| the | S. Chattopadhyay | 759 |
| Viscosity of dense gases.—Effect of | | |
| cluster formation on the | A. K. Pal and A. K. Barua | 323 |

Subject Index

xxiii

| Subject | Аптно | R | PAGE |
|--|---------------------|----------------|------|
| Viscosity of polar-nonpolar gas mixtures | Arun K. Pal and A. | K. Barua | 713 |
| Viscosity theories of Flory, Kurate, Ptitsyn and Palit for dilute polymer | | | |
| solutions.—Test of | D. K. Sarkar and S. | R. Palit | 389 |
| VLF waves from the waveforms of atmospherics.—Attenuation characteris- | | | |
| tie of | Monoranjan Rao | | 844 |
| X-ray measurements on air-dried and alkali-treated macromolecular sys- | | | |
| tem-wool.—Low angle (L) | T. Ratho and B. C. | Panda | 932 |
| X-ray study of the condensation product of diamino succeic acid and pyrutic | | | |
| acid $C_{10}H_{12}N_2O_8$.—An (L) | S. Chatterjee and | | |
| | S. C. Chakravorty | | 627 |
| X-ray study of the monoclinic modi- | | | |
| fication of para acetotoluidine crystals | | | |
| (L) | B. Khawas | | 777 |
| BOOK REVIEWS | | 76, 152, 232, | 312, |
| | 10 | 470. 712. 790. | 867 |

